

# ARKON\*

A Range of Water White,  
Hydrogenated Hydrocarbon Resins

## PRODUCT DATA SHEET

### ARKON\* P-90

ARKON\* is a premier water white hydrocarbon resin, introduced as the world's first hydrogenated hydrocarbon resin developed by Arakawa Chemical Industries, Limited. Its colourless and transparent character is especially suitable for use in light-coloured products. ARKON\* has excellent UV and thermal stability.

ARKON\* is produced under a stringent, ISO certified, quality control system.

Some of its key characteristics are:

- Excellent compatibility with various polymers
- Low molecular weight with High glass transition point
- Low molten viscosity
- Hydrophobicity
- Excellent chemical stability
- Colourless

Due to its excellent balance of properties, ARKON\* P-90 is used in formulations for a variety of applications such as pressure sensitive adhesives, hot-melt adhesives, sealants, inks and coatings etc.

#### Typical properties

Item	Test method	Unit	Typical value
Softening point	ASTM E-28	° C	90
Colour	ASTM D-1686	Hazen No.	20
Heat stability	Colour after aged /24 hrs 180 °C **	Gardner No.	< 1
Number average molecular weight (MN)	GPC method ***	g/mol	760
Glass transition point	ISO 11357-2	° C	36
Molten viscosity at 150 °C 180 °C	ASTM D-3236 (RVT, SC4-21)	mPa.s	800 120
Flash point (C.O.C.) (Pensky-Martens)	ASTM D-92 ASTM D-93	° C	210 190

\*\* PQW 218 [Dow Olefinverbund GmbH (DOG) test method]

\*\*\* PQW2126 (DOG test method)

For further information, please contact us and/or refer to our brochure and Safety Data Sheet.

\* Trademark of Arakawa

Arakawa Europe GmbH, Am Kronberger Hang 4, D-65824 Schwalbach/Ts  
Phone: ++49 (0) 61 96-5 03 83-0, Fax: ++49 (0) 61 96-5 03 83-10 e-mail: info@arakawaeurope.de

The information and data contained herein do not constitute sales specification. The product properties may be changed without notice. No liability, warranty or guarantee of product performance is created by this document. It is the Buyer's responsibility to determine whether Arakawa Europe's products are appropriate for Buyer's use and to ensure that Buyer's workplace and disposal practices are in compliance with applicable laws and regulations. No freedom from any patents or other industrial or intellectual properties rights is granted or to be inferred. (May 2000)